LSST Solar System Science (excluding NEOs)

Meg Schwamb (Gemini Observatory) @megschwamb





Large Synoptic Survey Telescope Solar System Science Collaboration

Cred




LSST Solar System Science Collaboration (SSSC)





David Trilling & Meg Schwamb SSSC Co-Chairs



www.lsstsssc.org



Wes Fraser **LSST**: UK Solar System POC













Active objects Working Group (Lead: Mike Kelley): broadly consisting of all categories of activity in the minor planet populations: short period comets, long period comets, main belt comets, impact- or rotationallygenerated active asteroids,etc

Community software/infrastructure development Working Group (Lead: Henry Hsieh): broadly consisting of people interested in helping build databases, software packages, etc to be used by the Solar System community on LSST data

Inner Solar System Working Group (Lead: Cristina Thomas): broadly consisting of the main belt, Mars/Jupiter Trojans, and Jupiter irregular satellites

NEOs (Near Earth Objects) and Interstellar Objects Working Group (Lead: Steve Chesley): broadly consisting of objects on orbits inward of or diffusing inward from the main belt as well as interstellar objects temporarily residing in the Solar System

Outer Solar System Working Group (Lead: Darin Ragozzine and Matt Holman): broadly consisting of KBOs, Centaurs, Oort cloud, Saturn/ Neptune/Uranus Trojans, and Saturn/Neptune/Uranus irregular satellites










LSST: A Deep, Wide, Fast, Optical Sky Survey








r<24.5 (<27.5@10yr) 10mas astrom.

0.5-1% photometry



It's Really Coming! Science Operations Start in 2022 Next 3 years is the time to prepare!

SO SO SO

Slide Credit: LSST/AURA/LSSTC



Coating Chamber has arrived on site



Optical Coating Chamber in transit to the summit – Puclaro Tunnel



Optical Coating Chamber entering the summit facility

Slide Credit: Victor Krabbendam

| | Currently Known | LSST Discoveries | Median number of observations | Observational ar length |
|--|-----------------|------------------|-------------------------------|----------------------------|
| Near Earth Objects (NEOs) | ~14,500 | 100,000 | (D>250m) 60 | 6.0 years |
| Main Belt Asteroids (MBAs) | ~650,000 | 5,500,000 | (D>500m) 200 | 8.5 years |
| Jupiter Trojans | ~6,000 | 280,000 | (D>2km) 300 | 8.7 years |
| TransNeptunian + Scattered Disk Objects (TNOs + SDOS) | ~2,000 | 40,000 | (D>200km) 450 | 8.5 years |
| Interstellar Objects (ISOs) | 1 | 10 | ? | ? |

ugrizy photometry


Expected LSST Yield

Slide Credit: LSST Science book/Lynne Jones




What is LSST project Providing

Solar System Data Products



Over the past year we've undertaken a major redesign, guided by collaboration input, of what products the LSST will deliver to enable Solar System science.


We will provide three kinds of Solar System-specific products:



See the handout (<u>http://ls.st/Document-29545</u>) for a one-page summary!


See http://ls.st/Document-29545

Slide Credit: Mario Jurić








What LSST Can Do finding new small body targets for future NASA mission (e.g. Lucy)





Schwamb et al. (2018 - RNAAS) https://doi.org/10.3847/2515-5172/aade00

















Snapshots During LSST Comissioning Camera Operations,



What LSST Can Do Explore the Origin of Sedna's Strange Orbit and Test the Existence of Planet 9




Image Credit: S. Sheppard






Image Credit: R. Hurt/JPL-Caltech

What LSST Can Do Explore the Origin of Main Belt Comets and Active Asteroids









What LSST Can Do Probe the Neptune Trojans Color-Inclination & Explore the Implications for Origin/Neptune Migration

40




Lin et al. (2018)




On-sky positions of Neptune Trojans in 2022 (grey) & 2032 (y Credit: Edward Lin

What LSST Can Do




'Oumuamua - a messenger that reaches out from the distant past


Credit: NASA/JPL-Caltech




Interstellar Object Discoveries



Credit:Drahus et al. (2018)





Meech et al (2018)

LARGE SYNOPTIC SURVEY TELESCOPE SOLAR SYSTEM SCIENCE ROADMAP

MEGAN E. SCHWAMB,¹ R. LYNNE JONES,² STEVEN R. CHESLEY,³ ALAN FITZSIMMONS,⁴ WESLEY C. FRASER,⁴ MATTHEW J. HOLMAN,⁵ HENRY HSIEH,⁶ DARIN RAGOZZINE,⁷ CRISTINA A. THOMAS,^{6,8} DAVID E. TRILLING,⁸ AND MICHAEL E. $BROWN^9$ ON BEHALF OF THE LSST SOLAR SYSTEM SCIENCE COLLABORATION

https://arxiv.org/abs/1802.01783

¹Gemini Observatory, Northern Operations Center, 670 North A'ohoku Place, Hilo, HI 96720, USA ²Department of Astronomy, University of Washington, 3910 15th Ave NE, Seattle, WA 98195, USA ³ Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, CA, 91109, USA ⁴Astrophysics Research Centre, Queen's University Belfast, Belfast BT7 1NN, UK ⁵Harvard-Smithsonian Center for Astrophysics, 60 Garden St., MS 51, Cambridge, MA 02138, USA ⁶Planetary Science Institute, 1700 East Fort Lowell Road, Suite 106, Tucson, AZ 85719, USA ⁷Brigham Young University, Department of Physics and Astronomy, N283 ESC, Provo, UT 84602, USA ⁸Department of Physics and Astronomy, Northern Arizona University, P.O. Box 6010, Flagstaff, AZ 86011, USA ⁹Division of Geological and Planetary Sciences, California Institute of Technology, Pasadena, CA 91125, USA

ABSTRACT

The Large Synoptic Survey Telescope (LSST) is uniquely equipped to search for Solar System bodies due to its unprecedented combination of depth and wide field coverage. Over a ten-year period starting in 2022, LSST will generate the largest catalog of Solar System objects to date. The main goal of the LSST Solar System Science Collaboration (SSSC) is to facilitate the efforts of the planetary community to study the planets and small body populations residing within our Solar System using LSST data. To prepare for future survey cadence decisions and ensure that interesting and novel Solar System science is achievable with LSST, the SSSC has identified and prioritized key Solar System research areas for investigation with LSST in this roadmap. The ranked science priorities highlighted in this living document will inform LSST survey cadence decisions and aid in identifying software tools and pipelines needed to be developed by the planetary community as added value products and resources before the planned start of LSST science operations.

(Published February 2, 2018 - Version 1.0)

Identifying Software Development That Community Will Have To Do

A SOFTWARE ROADMAP FOR SOLAR SYSTEM SCIENCE WITH THE LARGE SYNOPTIC SURVEY TELESCOPE

Megan E. Schwamb,¹ Henry Hsieh,² Michele T. Bannister,³ Steven R. Chesley,⁴ Wesley C. Fraser,³ R. Lynne Jones,⁵ Mario Jurić,⁵ Michael S. P. Kelley,⁶ Darin Ragozzine,⁷ David E. Trilling,⁸ and Kathryn Volk⁹ on behalf of the LSST Solar System Science Collaboration

¹Gemini Observatory, Northern Operations Center, 670 North A'ohoku Place, Hilo, HI 96720, USA ²Planetary Science Institute, 1700 East Fort Lowell Road, Suite 106, Tucson, AZ 85719, USA ³Astrophysics Research Centre, School of Mathematics and Physics, Queen's University Belfast, Belfast BT7 1NN, UK ⁴ Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, CA, 91109, USA ⁵Department of Astronomy, University of Washington, 3910 15th Ave NE, Seattle, WA 98195, USA ⁶Department of Astronomy, University of Maryland, College Park, MD 20742-2421, USA ⁷Brigham Young University, Department of Physics and Astronomy, N283 ESC, Provo, UT 84602, USA ⁸Department of Physics and Astronomy, Northern Arizona University, P.O. Box 6010, Flagstaff, AZ 86011, USA ⁹Lunar and Planetary Laboratory, University of Arizona, 1629 E. University Blvd., Tucson, AZ 85721, USA

The Large Synoptic Survey Telescope (LSST) will provide an unprecedented view of the Solar System. The 8.4-m telescope, currently under construction in Cerro Pachón, will host a 9.6 deg² field-of-view camera (Ivezić et al. 2008; LSST Science Collaboration et al. 2009). LSST will detect millions of asteroids and tens of thousands of distant Solar System bodies, within approximately 16 and 24.5 magnitudes (in r-band). Over a ten year period, most of these minor planets will receive hundreds of observations divided between 6 filters (ugrizy).

The data products that the LSST project will deliver for Solar System detections is described in the recently updated LSST Data Products Definition Document (DPDD; Jurić et al. 2013). The LSST Solar System Science Collaboration $(SSSC)^1$ developed a science roadmap (Schwamb et al. 2018) which outlines the collaboration's highest ranked research priorities utilizing LSST. To achieve these goals, the SSSC has identified crucial community software products/tools that will be required but not provided by the LSST project. These will have to be developed by the SSSC and the broader planetary community. To spur this effort, we present below the SSSC's top priority software development tasks required to maximize LSST Solar System science.

COMMUNITY SOFTWARE UTILITIES NEEDED DURING YEAR 1 OF LSST OPERATIONS

- is predicted to appear, accounting for the uncertainty in the orbital parameters.
- A utility to convert LSST heliocentric orbital element catalogs to barycentric.
- order to look for evidence for a source.

• Tools to extract cutouts from raw, reduced, and deep-stacked LSST images at locations where a specified orbit

• A shift-and-Stack moving object pipeline to search for moving sources below the detection limit of any individual image, adopting a suite of orbits and aligning and coadding a collection of exposures along those trajectories in

Schwamb et al. RNAASin prep



More details can be found on the SSSC's webpage

Code of Conduct Charter Home News

LSST Solar System Science Collaboration

Over its 10 year lifespan, the Large Synoptic Survey Telescope (LSST) could catalog over 5 million Main Belt asteroids, almost 300,000 Jupiter Trojans, over 100,000 NEOs, and over 40,000 KBOs. Many of these objects will receive hundreds of observations in multiple bandpasses. The LSST Solar System Science Collaboration (SSSC) is preparing methods and tools to analyze this data, as well as understand optimum survey strategies for discovering moving objects throughout the Solar System.



Working Groups

Science Cases

Data Products

Docs

Membership

Software

www.lsstsssc.org



LSST is providing the moving object detections (for ≤ 200 au) but... To maximize small body science, the planetary community needs much more

- 1) detections
- Characterize LSST interstellar object discoveries 2)
- 3) detections (probe giant planet migration, Planet 9 models, etc)
- 4) on Earth
- Advanced deep detection algorithms for moving objects 5)

Create a slow moving detection pipeline to find objects beyond 200 au, creating algorithms to identify cometary activity observed in LSST

Develop a survey simulator to compare orbital populations to LSST Analyze the orbital distribution of main belt comets and explore link to water

etc...



The next 3 years are crucial in planning and preparation for LSST small body observations throughout the Solar System, and the science yield can be maximized with modest effort to develop predictive and analysis tools.




We suggest NASA host a series of small body workshops focused on discussions about ground-based follow up of LSST discoveries and other related preparatory work

First LSST Solar System **Readiness Sprint Outcomes** July 10-12, 2018 @ Seattle WA

• 8 LSST Cadence Optimization White Papers

- Complete proposal for changes to the LSST Solar System database schema
- SSSC Software Roadmap
- 20 researchers familiar with the LSST metric analysis framework and simulation tools



Possible Recommendation for SBAG consideration

Given the imminent potential for small body science with LSST, we recommend SBAG advocate that the Planetary Science Division should add language in the 2020 and 2021 ROSES calls for PDART, Solar System Observations, and other related funding opportunities to particularly encourage LSST preparatory work

Representative examples of preparatory work might include: development of a survey simulator to compare orbital populations to LSST detections; and/or development analysis tools to characterize expected detections; and/or hosting workshops to enable the small-body community to be best prepared to take advantage of LSST's expected bonanza.





Backup slides

In 2006, at the specific encouragement of OPAG, the formal 2006 NASA ROSES call included this language of encouragement for Uranus equinox observations:

"In 2007, Uranus will reach equinox, providing an opportunity to gather new observations using astronomical tools not available during the previous equinox in 1965. Along with the Planetary Atmospheres and Outer Planets Research programs, Planetary Astronomy encourages proposals that take advantage of this rare opportunity to investigate equinoctial phenomena such as ring plane crossings, mutual uranian satellite occultations, diurnally-driven auroral activity, and atmospheric radiative balance changes driven by rapidly varying insolation."

Total modification to ROSES was the above text, and no funding was added. This two-sentence addition to ROSES was tremendously helpful to the science yield for Uranus equinox.



